



← RECOMMENDED VACCINES

Routine immunization schedule at a glance

EXPAND ALL +

– 2 months old

Vaccines

[DTaP-IPV-Hib-HB*](#)

[pneumococcal conjugate \(PNEU-C13\)](#)

[rotavirus](#)

Protects against

[diphtheria](#), [tetanus](#), [pertussis \(whooping cough\)](#), [polio](#), [Haemophilus influenzae type b](#), [hepatitis B](#)

[pneumococcal disease](#)

[rotavirus](#)

– 4 months old

Vaccines


[DTaP-IPV-Hib-HB*](#)

[pneumococcal conjugate \(PNEU-C13\)](#)

Protects against

[diphtheria](#), [tetanus](#), [pertussis \(whooping cough\)](#), [polio](#), [Haemophilus influenzae type b](#), [hepatitis B](#)

[pneumococcal disease](#)

Vaccines**Protects against**[meningococcal conjugate \(MenconC\).](#)[meningococcal disease](#)[rotavirus](#)[rotavirus](#)–  6 months old**Vaccines****Protects against**[DTaP-IPV-Hib-HB*](#)[diphtheria](#), [tetanus](#), [pertussis \(whooping cough\)](#), [polio](#), [Haemophilus influenzae type b](#), [hepatitis B](#)[pneumococcal conjugate \(PNEU-C13\)](#) (for high-risk children only)[pneumococcal disease](#)–  12 months old**Vaccines****Protects against**[MMR-Var](#)[measles](#), [mumps](#), [rubella](#), [varicella \(chickenpox\)](#).[pneumococcal conjugate \(PNEU-C13\)](#)[pneumococcal disease](#)[meningococcal conjugate \(MenconC\)](#)[meningococcal disease](#)–  18 months old**Vaccines****Protects against**[DTaP-IPV-Hib](#)[diphtheria](#), [tetanus](#), [pertussis \(whooping cough\)](#), [polio](#), [Haemophilus influenzae type b](#)[MMR-Var](#)[measles](#), [mumps](#), [rubella](#), [varicella \(chickenpox\)](#).–  4 years old

Vaccines	Protects against
dTap-IPV	diphtheria , tetanus , pertussis (whooping cough) , polio
MMR-Var (if they did not get at 18 months)	measles , mumps , rubella , varicella (chickenpox)

+  Grade 6

+  Grade 9

+  Adult

+  Pregnant

+ Everyone (6 months of age and older)

* DTaP-IPV-Hib-HB – for children born on or after March 1, 2018. Children born before March 1, 2018, are offered DTaP-IPV-Hib at ages 2, 4 and 6 months and Hepatitis B vaccine in school.

† A 3rd dose of HPV is needed only for students starting the vaccine series at 15 years of age or older and anyone with a weak immune system.

IMPORTANT INFORMATION:

More vaccines may be needed because of health conditions, work, school, living arrangements, household contacts, lifestyle risks, travel, or because a person was not fully immunized in childhood. Check with your healthcare provider, a public health nurse, your workplace health and safety department, or a travel health clinic to find out if you need any other vaccines and if they are free for you.

Current as of: March 15, 2023

Author: Provincial Immunization Program, Alberta Health Services

CONTACT[Contact us](#)[Important phone numbers](#)[Patient feedback](#)[Alberta Health Card](#)**GET INVOLVED**[Advisory councils](#)[Patient & family advisors](#)[Volunteer at AHS](#)[Donate](#)[Thank a care team member](#)**HEALTH TOOLS**[811 Health Link](#)[MyHealth Records](#)[Find healthcare](#)[Download our mobile apps](#)

Our work takes place on historical and contemporary Indigenous lands, including the territories of Treaty 6, Treaty 7 & Treaty 8 and the homeland of the Métis Nation of Alberta and 8 Métis Settlements. We also acknowledge the many Indigenous communities that have been forged in urban centres across Alberta.



© 2023 Alberta Health Services | [Terms & Conditions](#) | [Privacy](#)

